

## **QP5T – Quick Pull 5 Ton**

- Assembly Instructions...... 1
- Hydraulic Pump......2



Wedge Clamp Systems Inc. 170 – 21320 Gordon Way, Richmond, BC, Canada <u>Tel:604-207-9595</u> Fax:604-207-9593 www.wedgeclamp.com

## 1. **QP5T** – **Quick Pull 5 Ton**


- Install the 8 foot chain through the ram carriage as shown. Be careful that there is no twist in the chain as it passes through the ram carriage.
- The chain locks are used to hold a pull on a chain; or to continue pulling on one chain while the other chain holds a steady pull pressure.



Wedge Clamp Systems Inc. 170 – 21320 Gordon Way, Richmond, BC, Canada <u>Tel:604-207-9595 Fax:604-207-9593</u> www.wedgeclamp.com

## 2. **QP5T** – Quick Pull 5 Ton

- Attach the hydraulic pump hose to the hydraulic ram.
- Attach an air hose coupling to the hydraulic pump which is suitable for the air supply hose coupling being used.





• All safety precaution statements on the air/hydraulic pump operating instructions supplied MUST be carefully observed to help prevent personal injury.

Wedge Clamp Systems Inc. 170 – 21320 Gordon Way, Richmond, BC, Canada <u>Tel:604-207-9595 Fax:604-207-9593</u> www.wedgeclamp.com